REFERENCES

1) Alanzi AM, Abdelhameed AS, Khalil NY, Khan AA, "HPLC method with monolithic column for simultaneousdetermination of irbesartan and hydrochlorothiazide in tablets" *Acta Pharm.*, **2014,** 64, 187-198
2) Ali TA, Mohmed GG, Algan AA, "RP-HPLC Stability indicating Method for Estimation of Irbesartan and Hydrochlorothiazide in Bulk and Pharmaceutical Dosage Form" *Chi. J. anal. Chem..*, **2016,** 44(1), 1601-1608
3) Bae SK, Kim MJ, Shim EJ, Cho DY, Shon JH, "HPLC determination of irbesartan in human plasma: its application topharmacokinetic studies" *Biomed chrom.*, **2009,** 23(6), 568-572
4) Balakrishna K, Mahendra K, Sunder BS, "A validated reverse phase HPLC method for the simultaneous estimation ofIrbesartan and Hydrochlorothiazide in pharmaceutical dosage forms" *Sch. Res.lib.*, **2011,** 3(1), 490-496
5) Brand G, Bakrish GL, Davidai G, "Chlorthalidone combinations" European Patents, EP20040763163, 2006
6) ChaudhariPP,Bhalerao AV,"Method Validation For Spectrophotometric Estimation Of Cilnidipine ."*Int. J. of Pharma and Pharma. sci*.**2012**, 4,96-98.
7) Chakole RD, Manoj C., "Simultaneous estimation of atenolol and chlorthalidone in combine tablet dosage form by absorption ratio method using UV-Vis spectrophotometry."*Int. j. of adv. in pharm*.**2013,**3(1),222-228.
8) Dong WM. Modern HPLC for Practicing Scientists; A Wiley- Inter science publication, USA, 2006, pp 1-9.
9) "Drug profile for Chlorthalidone", Sept-2016, http://www.drugbank.ca/drugs/DB00310
10) "Drug profile for Cilnidipine", Sept-2016, www.drugbank.ca/drugs/DB09232
11) "Drug profile for Irbesartan", Sept.-2016, www.drugbank.ca/drugs/DB01029
12) FDA, "Guidance for Industry; Analytical Procedures and Methods Validation (Draft guidance), Food & Drug Administration," Rockville, US Department of Health and Human Services, 2000.
13) Ganesan M, Nanjundan S, Gomathi M, Muralidharan S, "Method development and validation of Irbesartan using LCMS/MS: Application to pharmacokinetic studies" *J. chem. and pharm. Res.*, **2010,** 2(4), 740-746.

14) Gandla K, Suthakaran R, Kandoji P, “Development and Validation of RP-HPLC Method for Simultaneous Estimation of Irbesartan and Simvastatin in Tablet Dosage Form” *Ame. J. pharm. And health res.,* **2014,** 2(10), 199-205.

15) Giachetti C, Tenconi A, Canali S, Zanolo G,”Simultaneous determination of atenolol and chlorthalidone in plasma by high-performance liquid chromatography. Application to pharmacokinetic studies in man.” *J Chromatogr B Biomed Sci* Appl. **1997**, 698(1-2) 187-194.

16) HaripriyaM, Antony N,JayashekharP,“Development validation of UV spectro photometric method for the simultaneous estimation of cilnidipine and telmisartan in tablet dosage form utilizing simultaneous equation and absorbance ratio method.” *Int. J Bio. Sci*.**2013**, 3(1),343-348.

17) Hemamrutha M, Rambabu R, Vidhyadhara S, “Development And Validation of RP-HPLC Method For Simultaneous Estimation of Irbesartan And Hydrochlorothiazide In Bulk And Pharmaceutical Dosage Forms” *Int. j. pharm.,* **2013,** 3(2), 360.

18) Hari Prasad P,Patel P.M,Vijaysree D, Reddy SY and KumarRB,“Simultaneous estimation of metoprolol tartrate and chlorthalidone by using RP-HPLC and method development as per ICH guidelines”*Der Pharma Chemica*.**2013**, 5(5),139-143.

19) ICH, Validation of Analytical Procedures; Methodology, Q2 (R1), International Conference on Harmonization, IFPMA, Geneva 1996.

20) Ingale PL, Dalvi SD, Salunkhe AR, “Development And Validation of HPLC Method For The Estimation ofIrbesartan” *Ind-ame j. pharm. Sci.,* **2016,** 6(4), 5242-5247.

21) Indian Pharmacopoeia Commission Ghaziabad Vol.II, 2010, pp 1076-1077.

22) Josyula SP, Annapurna MM, “New Spectrophotometric Methods for the Simultaneous Determination of Irbesartan and Hydrochlorothiazide inCombined Dosage Forms” *Pharm methods*, **2015,** 6(3), 120-125.

23) Kazakevich Y and LoBrutto R. HPLC for pharmaceutical Scientists; A John Wiley and sons, 2007, pp 1-6.

24) Kokilambigai KS, Lakshmi KS, Kumar A,Govind C, Kumar S, SinghMK,“Spectrophotometric Estimation Of Cilnidipine In Bulk And Pharmaceutical Dosage Form Using N-(1-Naphthyl) Ethylene DiamineDihydrochloride.“ *Int. J. of Pharma and Pharma Sci*.**2014**, 6, 576-578.

25) Kyeong-Ryoon Lee, Yoon-JeeChae, Jong-Hwa Lee, Dae-Duk Kim, Saeho Chong, Chang-Koo Shim, and Suk-Jae Chung,“Quantification of Cilnidipine in human plasma by liquid Chromatography-mass spectrometry.”*J of LiqChromato& Related Tech*.**2012**,35, 308–20.

26) Kavya V, Swamy K, Uddin ME, Ramu T, Navya B, "Development and Validation of HPLC Method for the Estimation of Irbesartanin Pharmaceutical Dosage form" *J. sci. res. In pharm.,* **2015,** 4(2), 66-68.

27) Kulkarni NS, Rathore DS, Ranpise NS, Dhole SN, "Validated method for estimation of irbesartan in bulk and dosage form by high performance liquidchromatography technique" *Ind. J. bio. Res.,* **2015,** 3(3), 44-47.

28) Kalyankar TM, Wadher SJ, Pekamwar SS, Doiphode NG, "Development and Validation of RP- HPLC method for Estimation of Hydrochlorothiazide and Irbesartan inPharmaceutical Preparation" *int. j. pharm. Tech res.,* **2014,** 6(1), 330-336.

29) Kalaiselvi P and Lalitha K G, "Development and Validation of RP-HPLC Method For The Simultaneous Estimation of Chlorthalidone And Irbesarton In Pharmaceutical Dosage Form."*Pharmacophore.***2014**, 5(2), 279-286.

30) Kadam S, Sheikh A, Srinivas A, Chavan D, "An improved process for preparation of Irbesartan" European Patents, PCT/IB2013/053794, 2013.

31) Ku CC, Sprockel OL, Lang BA, Desai DS, "Pharmaceutical compositions containing Irbesartan" US Patents, US 09/686,378, 2002.

32) Lee KH, Park HJ, Shin CY, Myung CS "Pharmaceutical composition comprising cilnidipine and telmisartan", European Patents, PCT/KR2009/002539, 2010.

33) Mohammed M, "spectrophotometric Method for the Estimation of Cilnidipine in Bulk and Pharmaceutical Dosage forms."*Orient. J. Chem*.**2013**,29(1),131-134.

34) Mohammad SM, Yagaina NM, "Development and validation of a RapidStability Indicating chromatographicdetermination of Cilnidipine in Bulk and Dosage form" *Ind. J. pharm. and Tech*, **2013,** 6(3), 296-299.

35) Minase AS, Dole MN, Sawant SD,"developement and validation of analytical method for simultaneous estimation of cilnidipine and olmesartan medoxomil in bulk and tablet dosage form by rp-hplc." *Int. J pharma and pharma*.**2014**,6 (7),508-511.

36) Mhaske RA, Sahsrabhdhe S, mhaske AA, "RP-HPLC Method For Simultataneous Determination of Irbesartan, Losartan, Hydro-Chlorothiazide AndChlorthalidone–Application To Commercially Available Drug Products" *Int. j. pharm. Sci. and res.,* **2014,** 1116-1123.

37) Madhu BK, Bikshal BK," reverse phase-hplc method development and validation for the simultaneous estimation of azilsartan medoxomil and chlortalidone in pharmaceutical dosage forms." *J. Atoms and Mol*.**2012**,2(1), 117–126.

38) NiraimathiV.,Jerad SA, Kumar SI,"Uv Spectrophotometric Methods For The Estimation Of Chlorthalidone In Bulk And Oral Dosage Form." *Indo American J. Pharm*.**2013**, 3(9),7160-7167.

39) NaazneenS,Sridevi A,"Stability-Indicating RP-HPLC Method for The Simultaneous Estimation of Azilsartan Medoxomil And Chlorthalidone In Solid Dosage Forms. " *Int. J. of Pharm. and Pharm. Sci*. **2014**, 6 (6), 236-243.

40) PawarPrajakta, Gandhi SV, Deshpande P.,Vanjari S. and ShelarSU,"Simultaneous RP-HPLC estimation of cilnidipine and telmisartan in combined tablet dosage form." *Pelagia Research Library*. **2013**, 4, 6-10.

41) Prabhu P, Murlidhar M, "Development & Validation of a High Performance Liquid Chromatography Method for Simultaneous Determination of Irbesartanand Its Related Impurities in Pharmaceutical Tablets" *Int. j. pharm. Sci. and drug res.,* **2014,** 6(2), 145-153.

42) Parmar KE, Patel ND,"Stability indicating RP-HPLC Method for Simultaneous Determination of Telmisartan and Chlorthalidone in Bulk and Pharmaceutical Dosage Form" *Int. J. of pharmtech research*.**2013**.5(5),1728-1738.

43) Parmar KE, MehtaRS, Patel ND, "Development And Validation Of HPTLC Method For Simultaneous Determination of Telmisartan And Chlorthalidone In Bulk And Pharmaceutical Dosage Form" *Int. J. of Pharm &Pharma Sc*i.**2013**, 5 (2), 420.

44) Patel S, Patel D"Simultaneous Determination of Metoprolol Succinate And Chlorthalidone By UV Spectrophotometric Method." *Pharmagene*. **2013**, 1(3) 39-43.

45) Rang and Del's Pharmacology; 6th Edn; Churchillevingstone Publishers (P) Ltd, New York, 2004, pp277-285.

46) Ravindra N, Kumaraswamy G, Jyothsna B, Bindu M, Pradeesha K, "A New RP-HPLC Method Developmentand Validation For The Estimation Of IrbesartanFrom Pharmaceutical Dosage Form" *World j. pharm. Res.,* **2014,** 3(2), 3315-3324.

47) Raju RR, Babu NB, "Development And Validation of HPLC Method For TheEstimation of Irbesartan In Pharmaceutical Dosage Form" *Pharmacophore,* **2011,** 2(2), 145-149.

48) Rao SN, Kumar AA, Bhimavarapu RD, Prasanna KV, "Estimation of Irbesartan in Bulk and Dosage Forms by New Simple UV-Spectrophotometry Using Hydrotropic Technique" *Pharm. Anal. Acta.,***2013,** 4(8), 1-3.

49) Raja B, Himasri P, Ramdevi B, “RP-HPLC Method for the Simultaneous Estimation of Irbesartan andHydrochlorothiazide in Pharmaceutical Dosage Form” *Int. j. pharm. And app. Sci.,* **2012,** 2(3), 29-38.

50) Reddy DM, Rao PP, Ramchandran D, “Method Development And Validation For The Simultaneous Estimation of Hydrochlorothiazide And Irbesartan In APharmaceutical Formulation By RP-HPLC” *Int. j. res. In pharm. And nano sci.,* **2014,** 3(5), 482-490.

51) Snyder LR, Kirkland JJ and Glajch LJ. Practical HPLC Method Development; 2nd Edn; A Wiley- Inter science publication, NY, USA, 1997, pp 3-35, 5-42.

52) Soni IJ, Panchal HJ,“Development and Validation of Dual Wavelength UV Spectrophotometric Method for simultaneous estimation of Cilnidipine and Olmesartan Medoxomil in Tablet dosage form.” *Ind. J. Pharma. and Bio. Res.***2014**, 2, 76-81.

53) Shaikh MM, Master S, Chaudhry AM, “Development And Validation of RP-HPLC Method For Simultaneous Estimation of AmlodipineBesylate And Irbesartan” *Int. bul. Drug res.,* **2014,** 4(7), 1-15.

Swamy GK, Kumar JM, Rao JS, “A Validated Reverse Phase HPLC Method For The Simultaneous Estimation of Irbesartan And Amlodipine In Pharmaceutical Dosage Form” *World j. pharm. And pharm. Sci.,* **2014,** 3(11), 996-10